Chicket to the transfer of the state of the

# Toddlerzone Installation Instructions DZW398

### **DZW398**

# Toddlerzone Unit Installation Instructions




- 1 Check using the Parts List that none of the components are missing.
- 2 Plan the final position of the play equipment ensuring there is sufficient space.
- 3 Stainless steel slides should face north or be shaded to prevent over heating. Slide runouts should be inclined downwards by approximately 2 degrees for drainage purposes.
- 4 Excavate the foundation holes in accordance with the plan.
- 5 Sort and identify parts before assembly. Each leg is numbered to correspond with the foundation plan.
- 6 Position 2 off 300 long spragging irons into the holes provided in each post upright and stand in the foundation holes. Assemble the decks at the positions marked on the posts. Do not tighten the fixing bolts until all the activities have been assembled.
- 7 Assemble the activities onto the posts. Leave fixing bolts loose until all the activities have been assembled.
- 8 Fill the foundation holes to the required depth with concrete.
- 9 Do not allow the equipment to be used until the concrete has set (2 3 days) and the required safety surfacing has been installed.
- 10 Tighten all fixing bolts.
- 11 Follow the maintenance instructions supplied.

During installation care must be taken to prevent hazards to children. Care should be taken if conditions are abnormal.

# Good designer 11/10


1 set 1 set 1.2M Special Scramble Net 0.6M Climb up ramp Head through panel Rotary puzzle panel .2M Pull up ramp 1.2M Ring climber .5M Arch bridge Posts (set of 14) Fixing Kit .5m Net bridge Triangular deck Shute entrance Binocular rail Square deck Music pipes .2M Stairs Mirror panel Arch top rail **Description** 1.2M Slide **Deck infill** D Rails DZD200 DZA140 **DPW398** DZA005 DZA165 DZA085 PZA370 DZD300 DZA015 DZA060 DZA035 DZA070 DZA095 DZD100 PZA620 DZA185 DZS120 DZA255 PZB450 DZA105



DZW398
Toddlerzone Unit
Parts List

# Good design HIII

| Qt<br>3  | N   |                                     | <del></del>   | - 2                           |                                    |                                   | <del></del>                         | <b>~</b>        | 1 set<br>1 set                  |
|--|---|-------------------------------------|---|-------------------------------|------------------------------------|-----------------------------------|-------------------------------------|-----------------|---------------------------------|
| _  | ٥   | nel                                 | amble Net   |                               |                                    | nel                               | duı                                 |                 |                                 |
| Description<br>Square deck<br>Triangular deck<br>1.2M Ring climber | D Rails<br>1.2M Stairs<br>1.2M Pull up ramp | Rotary puzzle panel<br>Mirror panel | <ol> <li>2M Special Scramble Net</li> <li>2M Slide</li> </ol> | Chute entrance<br>Deck infill | 1.5M Arch bridge<br>Binocular rail | Head through panel<br>Music pipes | 0.6M Climb up ramp<br>Arch top rail | 1.5m Net bridge | Posts (set of 14)<br>Fixing Kit |
| Ref<br>DZD100<br>DZD200<br>DZA140                                  | DZA005<br>DZA165<br>PZA620                  | DZA185<br>DZA085                    | PZA370<br>DZS120  | DZA255<br>DZD300              | DZA035<br>DZA015                   | DZA070<br>PZB450                  | DZA105<br>DZA095                    | DZA060          | DPW398<br>DZU398F               |



DZW398
Toddlerzone Unit
Parts List

## **DZW398**

### **Toddlerzone Unit Maintenance Instructions**

### NOTE

The warranty is invalidated if these instructions are not followed.

All wood needs annual inspection and retreatment where required.

## SutcliffePlat **Recommended Regular Inspection and Maintenance Interval Days** 7 365 14 28 56 Check stability of structure, tighten connections if required. Check all uprights at ground level for corrosion and/or rot. Replace any defective parts. Check all painted elements for damage, rub down and repaint or replace as required. Check chain/ropework assemblies for wear and damage, replace if required. Check rotating and pivot points for wear and smooth running lubricate or replace if required. Check rubber parts for wear and/or damage, replace if required. Check tension cables, adjust if required. Check wear of cables, replace if required. Check slide chutes for smoothness and any foreign elements. remove any found. Check rubber safety surfaces for damage and poor performance, repair or replace if required. Check loose fill safety surfaces, remove any foreign elements, rake level and top up if required.

for children

### **Disposal Instructions**

All components should be broken down into categories of:-

- 1 Mild Steel all Swing Frames, Playzone, Toddlerzone, Teenzone activities, Deck Frames and Springie Frames.
- 2 Stainless Steel all Slides, Mirror Panels.
- 3 Aluminium all Playzone and Toddlerzone Posts.
- 4 Galvanised Steel all Chains and Teenzone Posts.
- 5 Moulded Rubber Products without steel inserts all Toddlerzone Caps and edge details.
- 6 **Timber** all natural timber, plywood, and MDF panels.

Wherever possible these materials should be taken to specialist recycling organisations and recycled. In some cases where composite materials are used, then disposal at land fill sites is the only alternative such as:

- Moulded Rubber Products encasing steel inserts all Swing Seats, Deck Tops, Duo/Dizzy Disc Tops.
- High Pressure Laminate all Toddlerzone, Playzone and Teenzone Panels.
- Steel Core Polypropylene Rope all Scramble Nets, Space Nets, Playzone/Toddlerzone Ropes.