

design  
make  
play

# SutcliffePlay

Waggon Lane  
Upton Pontefract  
West Yorkshire WF9 1JS  
Telephone +44 (0) 1977 653200  
Facsimile +44 (0) 1977 653222  
info@sutcliffeplay.co.uk  
www.sutcliffeplay.co.uk

# Orchard Tarzan Traverse

## Installation Instructions

# ORW030

# ORW030

## Tarzan Traverse Installation Instructions

design  
make  
play  
**SutcliffePlay**

- 1 Read all instructions carefully before starting the assembly.
- 2 Check using the parts list and fixing kit list that none of the components are missing. If any parts are missing contact our Sales Office.
- 3 Plan the final position of the play equipment ensuring there is sufficient space. See the ground plan for recommended safety surfacing area and critical fall heights to EN1176.
- 4 Excavate the foundation holes in accordance with the plan. Orchard is designed to be installed onto a level site.
- 5 Fit the ground fixings OPA001 to the bottom of the relevant logs, following the instruction sheet on page 04.
- 6 Erect the main logs into the foundation holes using the ground plan for reference. Each log is numbered at the top, and marked at the base with an X.
- 7 Assemble the activities to the logs prior to concreting into position.
- 8 When all the activities are fitted, fill the foundation holes to the required depth with concrete.
- 9 Do not allow the equipment to be used until the concrete has set (2 - 3 days) and the required safety surfacing has been installed.
- 10 Check that all fixing bolts are fully tightened. Fit the post caps following the instruction sheet on page 04.
- 11 After one month check all bolts and tighten if necessary. After this one month period insert the rubber log plugs as described on the instruction sheets page 05 and 06.
- 12 Follow the maintenance instructions supplied.

During installation care must be taken to prevent hazards to children.  
Care should be taken if conditions are abnormal.

# ORW030


## Tarzan Traverse

### Parts List

Rev 02

design  
make  
play

# Sutcliffe Play




| Ref      | Description           | Qty   |
|----------|-----------------------|-------|
| OPA001   | Ground Fixing 750     | 2     |
| ORR005FA | 3.13M Black Rope Assy | 1     |
| XZA030   | Hand Ring Moulding    | 5     |
| OPU0030  | Logs (set of 3)       | 1 Set |
| ORU030F  | Fixing Kit            | 1 Set |

# ORW030

## POST CAPS

FIT RUBBER CAPS TO THE END OF THE LOGS AND FIX IN POSITION USING 3 OFF WDS450 PER JOINT.

NOTE THE RUBBER CAPS ARE A TIGHT FIT ON THE LOGS.




### PARTS PER JOINT

| STOCK CODE | DESCRIPTION            | QTY |
|------------|------------------------|-----|
| ORS003     | RUBBER POST CAP        | 1   |
| WDS450     | 12 x 2" CSK POZI SCREW | 3   |

## GROUND FIXINGS

**IMPORTANT NOTE**  
INSERT THE LOGS INTO THE GROUND FIXINGS 750MM. THE BOTTOM OF THE LOG SHOULD NOT PROTRUDE BEYOND THE GROUND FIXING.

ATTACH THE GOUND FIXINGS BEFORE PLACING THE LOGS IN THE FOUNDATION HOLES.




### PARTS PER GROUND FIXING

| STOCK CODE | DESCRIPTION                      | QTY |
|------------|----------------------------------|-----|
| HSS530     | M10 x 100 COACH SCREW BZP        | 3   |
| OPA001     | ALLOY GROUND FIXING ANODIZED 750 | 1   |

# ORW030

## LOG JOINTS




**IMPORTANT NOTE**  
TWIST THE RUBBER SPACERS  
SO THAT THEY ARE FLUSH  
AGAINST THE LOGS.

### PARTS PER LOG JOINT

| STOCK CODE | DESCRIPTION                   | QTY |
|------------|-------------------------------|-----|
| HHB770     | M16 x 260 HEX HEAD BOLT       | 1   |
| LKN340     | M16 NYLOC NUT                 | 1   |
| ORS001     | TIMBER RUBBER SPACER          | 2   |
| ORS002     | 35 DIA RUBBER LOG PLUG        | 2   |
| ORS005ZP   | METAL SPACER RING ZINC PLATED | 1   |
| WSR034     | M16 FLAT WASHER FORM C        | 2   |

## ROPE FIXINGS




### PARTS PER ROPE JOINT

| STOCK CODE | DESCRIPTION            | QTY |
|------------|------------------------|-----|
| LKN340     | M16 NYLOC NUT          | 1   |
| ORS002     | 35 DIA RUBBER LOG PLUG | 1   |
| WSR034     | M16 FLAT WASHER FORM C | 1   |

# ORW030


## HAND RING FIXING



PARTS PER HAND RING

| STOCK CODE | DESCRIPTION            | QTY |
|------------|------------------------|-----|
| LKN340     | M16 NYLOC NUT          | 1   |
| ORS002     | 35 DIA RUBBER LOG PLUG | 1   |
| WSR034     | M16 FLAT WASHER FORM C | 1   |
| XZA030     | HAND RING MOULDING     | 1   |

## ACTIVITY FIXING



PARTS PER FIXING

| STOCK CODE | DESCRIPTION             | QTY |
|------------|-------------------------|-----|
| HHB720     | M16 x 120 HEX HEAD BOLT | 1   |
| ORS002     | 35 DIA RUBBER LOG PLUG  | 1   |
| WSR034     | M16 FLAT WASHER FORM C  | 1   |

# ORU030F Fixing Kit

| STOCK CODE   | DESCRIPTION              | QTY |
|--|--------------------------|-----|
| <br>HHB720                            | M16 x 120 HEX HEAD BOLT  | 0   |
| <br>HHB770                            | M16 x 260 HEX HEAD BOLT  | 4   |
| <br>HSS530                            | M10 x 80 COACH SCREW     | 9   |
| <br>LKN340                            | M16 NYLOC NUT            | 11  |
| <br>ORS001                          | TIMBER RUBBER SPACER     | 6   |
| <br>ORS002                          | 41 DIA RUBBER LOG PLUG   | 13  |
| <br>ORS003                          | ORCHARD RUBBER POST CAP  | 4   |
| <br>ORS005ZP                        | SPACER RING ZINC PLATED  | 3   |
| <br>WDS450 | No12 x 2" CSK POZI SCREW | 15  |
| <br>WSR034                          | M16 FLAT WASHER          | 16  |

# ORW030

## Tarzan Traverse Maintenance Instructions



### NOTE

The warranty is invalidated if these instructions are not followed.

All wood needs annual inspection and retreatment where required.

### Recommended Regular Inspection and Maintenance

|   | Interval Days            |                                     |                                     |                                     |                                     |
|---|--------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
|   | 7                        | 14                                  | 28                                  | 56                                  | 365                                 |
| Check stability of structure, tighten connections if required.                                    | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Check all uprights at ground level for corrosion and/or rot. Replace any defective parts.         | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Check all painted elements for damage, rub down and repaint or replace as required.               | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Check chain/ropework assemblies for wear and damage, replace if required.                         | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Check rotating and pivot points for wear and smooth running lubricate or replace if required.     | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Check rubber parts for wear and/or damage, replace if required.                                   | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Check tension cables, adjust if required.   | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Check wear of cables, replace if required.  | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Check slide chutes for smoothness and any foreign elements, remove any found.                     | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Check rubber safety surfaces for damage and poor performance, repair or replace if required.      | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Check loose fill safety surfaces, remove any foreign elements, rake level and top up if required. | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |

### Disposal Instructions

All components should be broken down into categories of:-

- 1 **Mild Steel** - all Swing Frames, Playzone, Toddlerzone, Teenzone activities, Mission, Orchard Deck Frames and Springie Frames.
- 2 **Stainless Steel** - all Slides, Mirror Panels.
- 3 **Aluminium** - all Playzone, Mission and Toddlerzone Posts.
- 4 **Galvanised Steel** - all Chains and Teenzone Posts.
- 5 **Moulded Rubber Products without steel inserts** - all Mission and Toddlerzone Caps and edge details.
- 6 **Timber** - all natural timber, plywood, and MDF panels.

Wherever possible these materials should be taken to specialist recycling organisations and recycled.

In some cases where composite materials are used, then disposal at land fill sites is the only alternative such as:

- 7 **Moulded Rubber Products encasing steel inserts** - all Swing Seats, Deck Tops, Duo/Dizzy Disc Tops.
- 8 **High Pressure Laminate** - all Toddlerzone, Playzone and Teenzone Panels.
- 9 **Steel Core Polypropylene Rope** - all Scramble Nets, Space Nets, Playzone/Toddlerzone/Mission Ropes.