



SNS085

Rubber Nest Swing 2.4M High
Installation Instructions
Rev 00

design
make
play

SutcliffePlay



Installation Instructions

SNS085

Rubber Nest Swing 2.4M High Installation Instructions Rev 00

1. Plan the final position of the Nest Swing ensuring that there is enough space*.
2. Excavate the foundation holes in accordance with the plan**.
3. Assemble the swing frame on the ground. Ensure the fixing bolts are tightened evenly.
4. Carefully lift the frame into the foundation holes ensuring it is not twisted. It is important that the top tube is horizontal, use a spirit level to check this. The height from the centre of the top bar to the play level is 2.4M.
5. When the frame is positioned correctly, the foundation holes should be filled with concrete. Ensure that the concrete foundations slope away slightly from each leg to prevent water collecting.
6. Do not allow the equipment to be used until the concrete has set (2-3 days) and the required safety surface has been installed.
7. Check if all the fixing bolts are tightened and hang the nest ensuring that the safety chain is fitted correctly (see inset).
8. Follow the maintenance instructions supplied.

*Care should be taken when installing to reduce the hazard for the user.

**Care should be taken if conditions aren't normal.

Important Note

Minimum ground clearance at rest to be 400mm from the underside of the nest. If the seat, when fitted, is too low it can be adjusted by removing some links from the top chains. If this is done, ensure that the safety chain is refitted correctly.

Parts List			
Item	Code	Description	Qty
1	CHN105	Small U Shackle	2
2	CHN106	Safety Chain	2
3	FIX205	M12 Nut Cover	4
4	HHB638	M12 x 100 Hex Head Bolt	8
5	LKN330	M12 Nyloc Nut	4
6	RBF500	Rubber Bung	2
7	SNS005	Top Bar Assembly	1
8	SNS007	Rear Legs	2
9	SNS009	Front Legs	2
10	SRR150	Rubber Nest Swing	1
11	SNS025	Universal Joint	2
12	SSW111	Swing Joining Bar	2
13	SSW115	Clamp Plate	2
14	WSR050	M12 Plain Washer	4
15	WSR436	Saddle Washer	8
16	CHF070	Chains	1 (pair)
Tools Required			
19mm Ring Spanner or Socket			
17mm Socket			
Tape Measure			
Spirit Level			
Digging Implements			


design
make
play
SutcliffePlay
Waggon Lane
Upton Pontefract
West Yorkshire WF9 1JS
Telephone +44 (0) 1977 653200
Facsimile +44 (0) 1977 653222
info@sutcliffeplay.co.uk
www.sutcliffeplay.co.uk

SNS085

Rubber Nest Swing 2.4M High
Installation Instructions
Rev 00

design
make
play
SutcliffePlay

FITTING THE SAFETY CHAIN



SNS085

Rubber Nest Swing 2.4M High Maintenance Instructions Rev 00



NOTE

The warranty is invalidated if these instructions are not followed.

Recommended Regular Inspection and Maintenance

	Interval Days				
	7	14	28	56	365
Check stability of structure, tighten connections if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check all uprights at ground level for corrosion and/or rot. Replace any defective parts.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check all painted elements for damage, rub down and repaint or replace as required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check chain/ropework assemblies for wear and damage, replace if required.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rotating and pivot points for wear and smooth running lubricate or replace if required.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rubber parts for wear and/or damage, replace if required.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check tension cables, adjust if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check wear of cables, replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check slide chutes for smoothness and any foreign elements, remove any found.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rubber safety surfaces for damage and poor performance, repair or replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check loose fill safety surfaces, remove any foreign elements, rake level and top up if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Disposal Instructions

All components should be broken down into categories of:-

- 1 **Mild Steel** - all Swing Frames, Playzone, Toddlerzone, Teenzone activities, Deck Frames and Springie Frames.
- 2 **Stainless Steel** - all Slides, Mirror Panels.
- 3 **Aluminium** - all Playzone and Toddlerzone Posts.
- 4 **Galvanised Steel** - all Chains and Teenzone Posts.
- 5 **Moulded Rubber Products without steel inserts** - all Toddlerzone Caps and edge details.
- 6 **Timber** - all natural timber, plywood, and MDF panels.

Wherever possible these materials should be taken to specialist recycling organisations and recycled.

In some cases where composite materials are used, then disposal at land fill sites is the only alternative such as:

- 7 **Moulded Rubber Products encasing steel inserts** - all Swing Seats, Deck Tops, Duo/Dizzy Disc Tops.
- 8 **High Pressure Laminate** - all Toddlerzone, Playzone and Teenzone Panels.
- 9 **Steel Core Polypropylene Rope** - all Scramble Nets, Space Nets, Playzone/Toddlerzone Ropes.