


# SWD450 Wipe Out Installation Instructions

Sheet 1 of 3 Rev 01

design  
make  
play  
**SutcliffePlay**




Scale 1:100



## Space requirements

1. Safety surface recommended 10m<sup>2</sup>.
2. Length of the safety perimeter 11m.
3. HIC 0.5m.

Play level  
Concrete Required  
800 x 800 x 500mm  
Leave 200mm between play level and the concrete block.



# SWD450 Wipe Out Installation Instructions

Sheet 2 of 3 Rev 01

**SutcliffePlay**  
design  
make  
play

## Installation Procedure

1. Plan the final position of the play equipment ensuring there is enough space\*.
2. Excavate the foundation hole in accordance with the drawing\*\*.
3. Install the item using the correct amount of concrete. Ensure that the foundation post is vertical and the base plate is level with the play level.
4. Do not allow the item to be used until the concrete is set (2-3days) and the required safety surface has been installed.
5. Follow the maintenance instructions supplied.

\* Care should be taken while installing to decrease the hazard for children.

\*\* Care should be taken if the conditions aren't normal.

## Parts List

Description	Qty.	Stock	Required Tools:
Wipe Out	1	SWD450	Tape Measure Spirit Level Digging Implements



# SWD450 Wipe Out

## Maintenance Instructions

Sheet 3 of 3 Rev 01

**SutcliffePlay**  
design  
make  
play

### NOTE

The warranty is invalidated if these instructions are not followed.

### Recommended Regular Inspection and Maintenance

	7	14	28	56	365
Check stability of structure, tighten connections if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check all uprights at ground level for corrosion and/or rot. Replace any defective parts.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Check all painted elements for damage, rub down and repaint or replace as required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check rotating and pivot points for wear and smooth running lubricate or replace if required.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rubber parts for wear and/or damage, replace if required.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rubber safety surfaces for damage and poor performance, repair or replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check loose fill safety surfaces remove any foreign elements, rake level and top up if required.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### Disposal Instructions

All components should be broken down into catagories of:

1. **Mild steel** - all swing frames, Playzone activities, deck frames and springie frames.
2. **Stainless Steel** - all slides, mirror panels.
3. **Aluminium** - all Playzone and Toddlerzone posts and Playzone post caps.
4. **Galavanised steel** - all chains and Teenzone posts.
5. **Moulded rubber products without steel centres** - all Toddlerzone caps and edge details.
6. **Timber** - all natural timber, plywood and mdf panels.

Wherever possible these materials should be taken to specialist recycling organisations and recycled. In some cases where composite materials are used then disposal at land fill sites is the only alternative such as:

7. **Moulded rubber products encasing steel centres** - all seats, deck tops, duo disc tops.
8. **High pressure laminate** - all Toddlerzone, Playzone panels.
9. **Steel core polypropylene rope** - all scramble nets, space nets, Playzone/Toddlerzone ropes and rope bridges.