

**Good design  
for children**

**SutcliffePlay**

**Waggon Lane  
Upton Pontefract  
West Yorkshire WF9 1JS  
Telephone +44 (0)1977 653200  
Facsimile +44 (0)1977 653222  
info@ sutcliffeplay.co.uk  
www. sutcliffeplay.co.uk**

**Playzone  
slide 11" high**

**Installation Instructions**

**TSL111**

# TSL111

## 11" Traditional slide Installation Instructions

Good design  
for children  
**SutcliffePlay**

- 1 Check using the Parts List that none of the components are missing.
- 2 Plan the final position of the play equipment ensuring there is sufficient space.
- 3 Stainless steel slides should face north or be shaded to prevent over heating. Slide runouts should be inclined downwards by approximately 2 degrees for drainage purposes.
- 4 Excavate the foundation holes in accordance with the plan.
- 5 Sort and identify parts before assembly. Each leg is numbered to correspond with the foundation plan.
- 6 Position 2 off 300 long spragging irons into the hoes provided in each post upright and stand in the foundation holes. Assemble the decks at the positions marked on the posts. Do not tighten the fixing bolts until all the activities have been assembled.
- 7 Assemble the activities onto the posts. Leave fixing bolts loose until all the activities have been assembled.
- 8 Fill the foundation holes to the required depth with concrete.
- 9 Do not allow the equipment to be used until the concrete has set (2 - 3 days) and the required safety surfacing has been installed.
- 10 Tighten all fixing bolts.
- 11 Follow the maintenance instructions supplied.


During installation care must be taken to prevent hazards to children.  
Care should be taken if conditions are abnormal.

# TSL111

11" Traditional slide

Parts list

**Good design  
for children**  
**SutcliffePlay**



REF	DESCRIPTION	QTY
TSL118	11"SLIDE HANDRAILS(PAIR)	1
TSL116	11"SLIDE SUPPORT	2
TSL198	11"SLIDE CHUTE	1
TSL117	11"SLIDE LADDER	1
PED110	11"SLIDE CENTER PEDESTAL	1
PED100	11"SLIDE END PEDESTAL	1

# TSL111


11" Traditional slide

Maintenance Instructions

Good design  
for children  
**SutcliffePlay**

## Recommended Regular Inspection and Maintenance

Check stability of structure, tighten connections if required.



Check all uprights at ground level for corrosion and/or rot.  
Replace any defective parts.



Check all painted elements for damage, rub down and repaint  
or replace as required.



Check chain/ropework assemblies for wear and damage, replace  
if  
required.



Check rotating and pivot points for wear and smooth running  
lubricate or replace if required.



Check rubber parts for wear and/or damage, replace if required.



Check tension cables, adjust if required.



Check wear of cables, replace if required.



Check slide chutes for smoothness and any foreign elements,  
remove any found.



Check rubber safety surfaces for damage and poor performance,  
repair or replace if required.



Check loose fill safety surfaces, remove any foreign elements,



## Disposal Instructions

All components should be broken down into categories of:-

- 1 **Mild Steel** - all Swing Frames, Playzone, Toddlerzone, Teenzone activities, Deck Frames and Springie Frames.
- 2 **Stainless Steel** - all Slides, Mirror Panels.
- 3 **Aluminium** - all Playzone and Toddlerzone Posts.
- 4 **Galvanised Steel** - all Chains and Teenzone Posts.
- 5 **Moulded Rubber Products without steel inserts** - all Toddlerzone Caps and edge details.
- 6 **Timber** - all natural timber, plywood, and MDF panels.

Wherever possible these materials should be taken to specialist recycling organisations and recycled.

In some cases where composite materials are used, then disposal at land fill sites is the only alternative such as:

- 7 **Moulded Rubber Products encasing steel inserts** - all Swing Seats, Deck Tops, Duo/Dizzy Disc Tops.
- 8 **High Pressure Laminate** - all Toddlerzone, Playzone and Teenzone Panels.
- 9 **Steel Core Polypropylene Rope** - all Scramble Nets, Space Nets, Playzone/Toddlerzone Ropes.