




## **BARK PARK WUF015 Cat Walk Installation Instructions**



# WUF004

## Crawl Through Installation Procedure



- 1 Check using the Parts List that none of the components are missing.
- 2 Plan the final position of the Cat Walk ensuring there is sufficient space.\*
- 3 Sort and identify parts before assembly. All four posts are identical.
- 4 Excavate the foundation holes in accordance with the plan on pages 3 and 4.\*\*
- 5 Position 2 x 300 long spragging irons into the holes provided in each post and stand in the foundation holes. The ground level is marked on each post at 500mm.
- 6 Assemble the tunnel and fixings regarding the positions marked on the posts. Do not tighten the fixing bolts until the tunnel has been assembled.
- 7 Ensure the posts are completely vertical and pour in the correct amount of concrete. See plans on pages 3 and 4 for more information.
- 8 Do not allow the equipment to be used until the concrete has set (2-3 days) and the required safety surface has been installed.
- 9 Check that all fixing bolts are tightened.
- 10 Follow the maintenance instructions supplied.

\*During installation care must be taken to prevent hazards to children and animals.



\*\*Care should be taken if conditions are abnormal.

<b>Parts List</b>			
<b>Description</b>	<b>Qty.</b>	<b>Stock</b>	<b>Required Tools</b>
Square deck	1	DZD100	Tape measure and digging implements Spirit level and tools
Posts (set of 4)	1	WFP005	
Fixing Kit	1	WUF015F	
Rubberised Ramp	2	WUF000	

# WUF015

Cat Walk

Elevation and foundation



GROUND PLAN	<b>WUF015</b>		
REV	00		
DRAWN	PM		
SCALE	1:50 @ A3		
DATE	24/09/2015		
SAFETY SURFACE AREA	Non required		
	HOLE A 300x300x500 DEEP		
	HOLE B 400x400x500 DEEP		
	HOLE C 300x800x800 DEEP		



# WUF015

Crawl Through

Fixings and Foundation Plan




- DZS009 M10 STEP WASHER x8
- DZS005 M10 BLACK NUT COVER
- HSS510 M10 x 30 HEX SCREW x4
- LKN320 M10 LOCK NUT x4
- MSL002 SPRAGGING IRON x4
- FIX155 M10 x 30 SECURITY SCREW x8
- WSR255 STEPPED WASHER x8
- WSR040 M10 PLAIN WASHER x8
- DZS004 NUT COVER x 8
- FIX195 FIXING TOOL x1



DZD100G00  
Square deck x1

WUF005G00 Rubberised  
ramp 0.6m x2



WFP015 - Set of four  
posts

# WUF015

## Cat Walk

### Maintenance Instructions



#### Recommended Regular Inspection and Maintenance

	Interval Days				
	7	14	28	56	365
Check stability of structure, tighten connections if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check all uprights at ground level for corrosion and/or rot. Replace any defective parts.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Check all painted elements for damage, rub down and repaint or replace as required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check chain/ropework assemblies for wear and damage, replace if required.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rotating and pivot points for wear and smooth running lubricate or replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rubber parts for wear and/or damage, replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check grips are secure, adjust if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check panels are in good condition. Reseal edges or replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check slide chutes for smoothness and any foreign elements, remove any found.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rubber safety surfaces for damage and poor performance, repair or replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check loose fill safety surfaces, remove any foreign elements, rake level and top up if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

#### Disposal Instructions

All components should be broken down into categories of:-

- 1 **Mild Steel** - all Swing Frames, Playzone, Toddlerzone, Teenzone activities, Deck Frames and Springie Frames.
- 2 **Stainless Steel** - all Slides, Mirror Panels.
- 3 **Aluminium** - all Playzone and Toddlerzone Posts.
- 4 **Galvanised Steel** - all Chains and Teenzone Posts.
- 5 **Moulded Rubber Products without steel inserts** - all Toddlerzone Caps and edge details.
- 6 **Timber** - all natural timber, plywood, and MDF panels.

Wherever possible these materials should be taken to specialist recycling organisations and recycled.

In some cases where composite materials are used, then disposal at land fill sites is the only alternative such as:

- 7 **Moulded Rubber Products encasing steel inserts** - all Swing Seats, Deck Tops, Duo/Dizzy Disc Tops.
- 8 **High Pressure Laminate** - all Toddlerzone, Playzone and Teenzone Panels.
- 9 **Steel Core Polypropylene Rope** - all Scramble Nets, Space Nets, Playzone/Toddlerzone Ropes.