


DRG No
TTU001

REV
01

- HOLE A - 1322 x 600 x 1000 DEEP (600 DEEP CONCRETE)
- HOLE B - 600 x 600 x 1000 DEEP (700 DEEP CONCRETE)
- HOLE C - 500 x 500 x 900 DEEP (500 DEEP CONCRETE)
- HOLE D - 500 x 500 x 780 DEEP (500 DEEP CONCRETE)
- HOLE E - 820 x 520 x 800 DEEP (400 DEEP CONCRETE)
- HOLE F - 500 x 500 x 985 DEEP (500 DEEP CONCRETE)



SAFETY SURFACING REQUIREMENTS TO EN 1176
AREA: 95.2m²
PERIMETER: 57.7m
HIC 2m

<p>GENERAL TOLERANCES UNLESS OTHERWISE STATED</p> <p>DECIMAL PLACES 0 = ±1 0.0 = ±0.5 0.00 = ±0.05</p> <p>ANGULAR TOLERANCE ±1°</p> <p>ALL WELDS TO WPST WELDING SPECIFICATION UNLESS OTHERWISE STATED</p>		<p>TITLE TREETOPS MANGROVE FOUNDATION AND SURFACING PLAN</p>		<p>REVISION</p> <p>DRAWN BY IM</p> <p>CHECKED</p> <p>SCALE 1:50 @ A2</p> <p>DATE 05.11.20</p>		<p>DESCRIPTION</p> <p>FIRST ANGLE PROJECTION</p> <p>DRG No TTU001</p> <p>REV 01</p>	
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------------------------------------------------------------------	--	------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------------------------------------------	--



DO NOT SCALE THIS DRAWING