



Product Service

# CERTIFICATE

No. B 022011 0097 Rev. 00

**Holder of Certificate:** **Sutcliffe Play Limited**  
Waggon Lane  
Upton, Pontefract, WF9 1JS  
UNITED KINGDOM

**Certification Mark:**



**Product:** **Swings**  
**Swing Frames**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 713205349

**Valid until:** 2026-01-26

**Date,** 2021-02-05

( Michael Weber )

# CERTIFICATE

No. B 022011 0097 Rev. 00

**Model(s):** **OSS062, OSS080, OSS082, SNF080, SNF083, SSF105, SSF106, SSF107, SSF110, SSF111, SSF114, TSF101, TSF102, TSF103, TSF104**

## Parameters:

Swing combination systems constructed of A-frame. Supports and crossbars, with anti-wrap bearings for one seat, two seat or four seat variations.

### Metal swing Systems:

Frame codes beginning 'S' are manufactured from Ø64 mm steel. Crossbar heights are 1.8 m and 2.4 m.

In combination with the following seats:

SNF080: SRR150, SRR106-108, SNS010/4650 (Huck)

SNF083: SRE125, SRE245, SRE460-480, SRE505, SRE 865-885, 89301050 (Hags), SRF124, SRR150, SRR106-108, SNS010/4650 (Huck)

SSF105: SRE245, SRE460-480, SRE505, SRE 865-885

SSF106: SRE245, SRE460-480, SRE505, SRE 865-885

SSF107: SRE245, SRE460-480, SRE505, SRE 865-885

SSF110: SRE125, SRE245, SRE460-480, SRE505, SRE 865-885, 89301050 (Hags), SRF124

SSF111: SRE125, SRE245, SRE460-480, SRE505, SRE 865-885, 89301050 (Hags), SRF124

SSF114: SRE125, SRE245, SRE460-480, SRE505, SRE 865-885, 89301050 (Hags), SRF124

### Orchard Swing Systems:

Frame codes beginning 'O' are manufactured from Ø64 mm steel. Crossbar heights are 1.8 m and 2.4 m.

OSS062: SRE245, SRE460-480, SRE505, SRE 865-885

OSS080: SRR150, SRR106-108, SNS010/4650 (Huck)

OSS082: SRE125, SRE245, SRE460-480, SRE505, SRE 865-885, 89301050 (Hags), SRF124

# CERTIFICATE

No. B 022011 0097 Rev. 00

Treetops

Swing Systems:

Frame codes beginning 'T' are manufactured from  
200 x 100 mm engineered larch and Ø64 mm steel.  
Crossbar heights are 2.4 m.

TSF101: SRR150, SNS010/4650 (Huck)

TSF102: SRE125, SRE245, SRE460-480, SRE505, SRE 865-885,  
89301050 (Hags), SRF124

TSF103: SRE125, SRE245, SRE460-480, SRE505, SRE 865-885,  
89301050 (Hags), SRF124, SRR150, SNS010/4650 (Huck)

TSF104: SRE125, SRE245, SRE460-480, SRE505, SRE 865-885,  
89301050 (Hags), SRF124

**Tested according to:** EN 1176-1:2017  
EN 1176-2:2017