

Mission Installation Instructions CZU303

CZU303

Mission Unit Installation Instructions



- 1 Check using the Parts List that none of the components are missing.
- 2 Plan the final position of the play equipment ensuring there is sufficient space.
- 3 Stainless steel slide bars should face north or be shaded to prevent over heating.
- 4 Excavate the foundation holes in accordance with the plan.
- 5 Sort and identify parts before assembly. Each leg is numbered to correspond with the foundation plan.
- 6 Position 2 off 300 long spragging irons into the holes provided in each post upright and stand in the foundation holes. Assemble the decks at the positions marked on the posts. Do not tighten the fixing bolts until all the activities have been assembled.
- 7 Assemble the activities onto the posts. Leave fixing bolts loose until all the activities have been assembled.
- 8 Fill the foundation holes to the required depth with concrete.
- 9 Do not allow the equipment to be used until the concrete has set (2 3 days) and the required safety surfacing has been installed.
- 10 Tighten all fixing bolts.
- 11 Follow the maintenance instructions supplied.


During installation care must be taken to prevent hazards to children. Care should be taken if conditions are abnormal.

CZU303

Mission Unit Parts List

Ref	Description	Qty
CZD125	Crows Nest Deck	1
CZD027	Deck Support Rail 1	2
CZD029	Deck Support Rail 2	2
CZA002	Curved Handrail	1
CZA020	Cranked Handrail	2
CZA021	Angled Handrail	2
CZA022	Cranked LH D Rail	2
CZA024	Cranked RH D Rail	1
CZA080	1.5M Rope Climb	1
CZA099	1.5M Fireman's Pole	1
CZD110	Tri Deck	1
CZD003	Deck Support Rails	3
CZB015	1.5M Slide Bars	1
CZS220	Hand Holds	9
CZU007	4 Step Post	3
CPU303	Posts (set of 7)	1 set
CZU303F	Fixing Kit	1 set





CZU303

Mission Unit Maintenance Instructions

NOTE

The warranty is invalidated if these instructions are not followed. All wood needs annual inspection and retreatment where required.



Inspection and Maintenance		Recommended Regular Interval Days			
	7	14	28	56	365
Check stability of structure, tighten connections if required.					
Check all uprights at ground level for corrosion and/or rot. Replace any defective parts.					
Check all painted elements for damage, rub down and repaint or replace as required.					
Check chain/ropework assemblies for wear and damage, replace if required.					
Check rotating and pivot points for wear and smooth running lubricate or replace if required.					
Check rubber parts for wear and/or damage, replace if required.					\bigcirc
Check tension cables, adjust if required.					
Check wear of cables, replace if required.					
Check slide chutes for smoothness and any foreign elements, remove any found.					
Check rubber safety surfaces for damage and poor performance, repair or replace if required.					
Check loose fill safety surfaces, remove any foreign elements, rake level and top up if required.					

Disposal Instructions

All components should be broken down into categories of:-

- 1 Mild Steel all Swing Frames, Playzone, Toddlerzone, Teenzone activities, Mission, Deck Frames and Springie Frames.
- 2 Stainless Steel all Slides, Mirror Panels.
- 3 Aluminium all Playzone, Mission and Toddlerzone Posts.
- 4 Galvanised Steel all Chains and Teenzone Posts.
- 5 Moulded Rubber Products without steel inserts all Mission and Toddlerzone Caps and edge details.
- 6 **Timber** all natural timber, plywood, and MDF panels.

Wherever possible these materials should be taken to specialist recycling organisations and recycled. In some cases where composite materials are used, then disposal at land fill sites is the only alternative such as:

- 7 Moulded Rubber Products encasing steel inserts all Swing Seats, Deck Tops, Duo/Dizzy Disc Tops.
- 8 High Pressure Laminate all Toddlerzone, Playzone and Teenzone Panels.
- 9 Steel Core Polypropylene Rope all Scramble Nets, Space Nets, Playzone/Toddlerzone/Mission Ropes.